

BEAMTEC
L I G H T I N G
丞逸照明企業有限公司







MINI PROFILES

SMALL PROFILES





MEDIUM PROFILES

LARGE PROFILES





RECESSED






PENDENT




SURFACE







BT017-R5



Aluminium profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover




LED strip:5730 LED
60LEDs/M,30W/M



LED Driver




Stainless Clip



Connector T



Connector L




Connector X






Connector IL



Aluminium End Cap
without hole



BT018-R3



Aluminium profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover




LED strip:5730 LED
60LEDs/M,30W/M



LED Driver




Steel wire



Connector T



Connector L



Connector X



Connector IL






Aluminium End Cap
without hole





Stainless Clip

BT045-R



BT045-RD



PC diffused cover



Aluminium End Cap without hole



PC Frosted cover



Aluminium end cap



Aluminium profile



LED strip: 5730 LED 60LEDs/M, 30W/M



LED Driver




Stainless Clip



Connector T




Connector L





Connector X



Connector IL



BT046-R



PC diffused cover



Aluminium End Cap without hole



Aluminium profile



LED strip: 5730 LED
60LEDs/M, 30W/M




LED Driver



Stainless Clip




Steel wire



Connector T




Connector L




Connector X



Connector IL



BT046-RD






PC Frosted cover





Aluminium end cap

BT047-R1



BT047-R1D



PC diffused cover



Aluminium End Cap without hole



PC Frosted cover



Alumminium end cap



Aluminium profile




LED strip:5730 LED 60LEDs/M,30W/M



LED Driver




Stainless Clip



Connector T



Connector L




Connector X





Connector IL





BT048-R1



PC diffused cover



Aluminium End Cap without hole



Aluminium profile



LED strip:5730 LED
60LEDs/M,30W/M




LED Driver



Stainless Clip




Steel wire



Connector T




Connector L




Connector X



Connector IL



BT048-R1D






PC Frosted cover






Aluminium end cap



BT6535



BT6535-D



PC diffused cover



Aluminium End Cap without hole



PC Frosted cover



Aluminium end cap



Aluminium profile




LED Module:2835 LED
28W/1.2M



LED Driver




Stainless Clip



Connector T




Connector L





Connector X



Connector IL



BT5035



PC diffused cover



Aluminium End Cap without hole



Aluminium profile



LED Module:2835 LED
28W/1.2M




LED Driver



Stainless Clip




Steel wire



Connector T




Connector L





Connector X



Connector IL




BT6535-D





PC Frosted cover





Alumminium end cap



BT9035



BT9035-D



PC diffused cover



Aluminium End Cap without hole



Aluminium profile



LED Module: 2835 LED 42W/1.2M



LED Driver




Stainless Clip



PC Frosted cover




Aluminium end cap



Connector T




Connector L






Connector X





Connector IL



BT7535



BT7535-D



PC diffused cover




Aluminium End Cap without hole



PC Frosted cover



Aluminium end cap



Aluminium profile



LED Module: 2835 LED 42W/1.2M




LED Driver



Stainless Clip




Steel wire



Connector T



Connector L




Connector X




Connector IL





Pendent



Surface/Wall



BT3875



PC Frosted cover



Aluminium End Cap without hole



Aluminium profile



LED Module: 2835 LED 28W/1.2M




LED Driver



Stainless Clip




Steel wire



Connector T



Connector L




Connector X



Connector IL

BT3875-D






PC Frosted cover






Aluminium end cap



BT5075-R



BT5075-RD



PC Frosted cover



Aluminium End Cap without hole



PC Frosted cover



Aluminium end cap



Aluminium profile



LED Module: 2835 LED 28W/1.2M



LED Driver




Internal Clip



Stainless Clip




Steel wire



Connector T



Connector L




Connector X





Connector IL





BT7575-R



PC Frosted cover



Aluminium End Cap without hole



Aluminium profile



LED Module: 2835 LED 42W/1.2M



LED Driver



Internal Clip



Stainless Clip




Steel wire



Connector T




Connector L





Connector X



Connector IL



BT7575-RD







PC Frosted cover



Aluminium end cap




BT10075-R



Connector T



Connector L



Connector X



Connector IL



Internal Clip



Stainless Clip



Aluminium profile



PC Frosted cover



Aluminium End Cap without hole



LED Module: 2835 LED 54W/1.2M



LED Driver




Steel wire











Recessed





BT6875

BT6875-D





PC Frosted cover

Aluminium End Cap without hole



PC Frosted cover

Aluminium end cap



Aluminium profile

LED Module: 2835 LED 28W/1.2M

LED Driver

Stainless Clip


Internal Clip

Connector T



Connector L

Connector X

Connector IL



BT9575-R



PC Frosted cover



Aluminium End Cap without hole



Aluminium profile



LED Module:2835 LED 42W/1.2M




LED Driver



Stainless Clip




Internal Clip



Connector T



Connector L





Connector X



Connector IL



BT9575-RD





PC Frosted cover



Alumminium end cap



BT12575




Aluminium profile



PC Frosted cover



Aluminium End Cap without hole



LED Module: 2835 LED
54W/1.2M




LED Driver



Connector T



Connector L



Connector X



Connector IL



Stainless Clip




Internal Clip



Steel wire



BT12335



Aluminium profile



PC Frosted cover




Aluminium End Cap without hole



LED Module:2835 LED 54W/1.2M




LED Driver



Connector T



Connector L



Connector X





Connector IL



Stainless Clip



BT059-R



Aluminium profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



LED strip:5730 LED
60LEDs/M,30W/M



LED Driver






Aluminium end cap



Spring Clip

BT8585



Aluminium profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



Stainless Clip



Aluminium end cap




LED strip: 5730 LED
60LEDs/M, 30W/M



LED Driver



Steel wire



Aluminium profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



Aluminium End Cap
without hole



Stainless Clip




LED Module:2835 LED
28W/1.2M



LED Driver






Steel wire





BT15023



Aluminium profile



PC Frosted cover



Aluminium End Cap without hole



Aluminium cover for driver



LED Module: 2835 LED
84W/1.2M



LED Driver



Steel wire

LED Module: Rigid Board

	LM2835R56024P14 	LM2835R56051P21 	LM2835R56068P27 	LM5730R56024P17 
Size	560*24*5mm	560*51.5*5mm	560*68.5*5mm	560*24*5mm
Power	14W	21W	27W	17.5W
Light Output	1980lm	2950lm	3900lm	2275lm
CRI	>80	>80	>80	>80
Color temperature	3000k/4200k/6000k	3000k/4200k/6000k	3000k/4200k/6000k	3000k/4200k/6000k

LED Module: Flexible PCB

	LM2835F500012P14 	LM2835F250024P28 	LM2835F250051P34 
Size	5000*12* 1.2mm	2500*24*1.2mm	2500*51.5*1.2mm
Power/meter	14W	28W	34W
Light Output/meter	1190lm	2380lm	2890lm
CRI	>80	>80	>80
Color temperature	3000k/4200k/6000k	3000k/4200k/6000k	3000k/4200k/6000k
Voltage input	DC24V	DC24V	DC24V
Cutting unit	100mm	100mm	100mm

LED Driver

	CCD36W900mA 	CCD48W1200mA 	CCD62W1550mA 
Voltage input	100-277VAC	100-277VAC	100-277VAC
Voltage output	27-40VDC	27-40VDC	27-40VDC
Current output	900mA	1200mA	1550mA
Power Max	36W	48W	62W
Efficacy	86%	86%	86%
PF	0.98	0.98	0.98
Dimming Mode	0-10V/PWM/Resistance	0-10V/PWM/Resistance	0-10V/PWM/Resistance
Size	285*30*21mm	355*30*21mm	355*30*21mm

